

Modified Bethe-Weizsäcker mass formula with isotonic shift and new driplines

P. Roy Chowdhury¹, C. Samanta^{1,2 *}

¹ *Saha Institute of Nuclear Physics, 1/AF Bidhan Nagar, Kolkata 700 064, India*

² *Physics Department, Virginia Commonwealth University, Richmond, VA 23284-2000, U.S.A.*

D.N. Basu

Variable Energy Cyclotron Centre, 1/AF Bidhan Nagar, Kolkata 700 064, India

(February 8, 2008)

Nuclear masses are calculated using the modified Bethe-Weizsäcker mass formula in which the isotonic shifts have been incorporated. The results are compared with the improved liquid drop model with isotonic shift. Mass excesses predicted by this method compares well with the microscopic-macroscopic model while being much more simple. The neutron and proton drip lines have been predicted using this modified Bethe-Weizsäcker mass formula with isotonic shifts.

Keywords : Mass formula, Drip Lines, Separation energies, Exotic nuclei.

PACS numbers:27.30.+t, 21.10.Dr, 32.10.Bi

Nuclear reactions using radioactive ion beams have been studied extensively to allow measurements of the masses, half-lives, radii and other properties of unstable nuclei. These results reveal some interesting characteristics of unstable nuclei, such as a halo and a skin [1]. The disappearance of some traditional magic numbers and extra stability for some neutron numbers [2] have also been observed. The Bethe-Weizsäcker (BW) mass formula designed to reproduce the gross features of nuclear binding energies for medium and heavy nuclei fails for light nuclei, specially away from the line of stability [3]. The unusual stability of nuclei with preferred nucleon numbers, commonly referred to as magic numbers, can be clearly delineated by comparing the experimental binding energies with predictions of the Bethe-Weizsäcker mass formula. However, this comparison does not indicate the recently observed features like the disappearance of some traditional magic numbers and extra stability for some newly observed nuclei. To alleviate these problems, a generalized Bethe-Weizsäcker mass formula was predicted [4] which explained the gross features of the shapes of the binding energy versus neutron number curves of all the elements from *Li* to *Bi*. Both Bethe-Weizsäcker and the modified Bethe-Weizsäcker (BWM) mass formulae have no shell effect incorporated and thus when the shell effect in a nucleus quenches, the theoretical mass comes closer to the experimental ones. A comparison with the experimental data and the BWM delineates the positions of all old and the new magic numbers. For heavier nuclei this BWM mass formula approaches the old BW mass formula.

In this work we improve the mass predictions of BWM by introducing the isotonic mass shifts [5]. We find that it greatly improves the agreement between the experimental masses and the calculated ones and thus predicts the driplines more accurately than calculated earlier [6] with BWM alone. We adopt a procedure in which we compute the average shift of the BWM formula from the experimental values. The shift, called the isotonic shift Δ_n , is then subtracted from the prediction of the BWM formula [5], as explained later.

In the liquid drop description of a nucleus of mass number A and atomic number Z , the binding energy is given by,

$$B(A, Z) = a_v A - a_s A^{2/3} - a_c Z(Z-1)/A^{1/3} - a_{sym} (A-2Z)^2/A + \delta, \quad (1)$$

where

$$a_v = 15.78 \text{ MeV}, a_s = 18.34 \text{ MeV}, a_c = 0.71 \text{ MeV}, a_{sym} = 23.21 \text{ MeV and } a_p = 12 \text{ MeV}, \quad (2)$$

and the pairing term,

$$\begin{aligned} \delta &= a_p A^{-1/2} \text{ for even } N - \text{even } Z, \\ &= -a_p A^{-1/2} \text{ for odd } N - \text{odd } Z, \\ &= 0 \text{ for odd } A, \end{aligned} \quad (3)$$

*E-mail:chhanda@lotus.saha.ernet.in

The above formula was prescribed by Bethe-Weizsäcker (BW). With the discovery of neutron rich light nuclei, it was found that the BW is severely inadequate for light mass nuclei away from the valley of stability. From a phenomenological search a more generalized BW formula was predicted by Samanta and Adhikari [4] in which the binding energy is given by,

$$B(A, Z) = a_v A - a_s A^{2/3} - a_c Z(Z-1)/A^{1/3} - a_{sym} (A-2Z)^2 / [(1 + e^{-A/k})A] + \delta_{new}, \quad (4)$$

where,

$$\delta_{new} = (1 - e^{-A/c})\delta, \quad c = 30, \quad k = 17, \quad (5)$$

and the constant $a_v = 15.777 \text{ MeV}$ [7]. The other constants remain the same and δ is the old pairing term.

We made five parameter searches for the BW mass formula using Audi-Wapstra 2003 [8] mass table by minimizing χ^2/N and the root mean square deviation σ for atomic mass excesses. The results are listed in Table-1 below. We find that both χ^2/N and the root mean square deviation σ , which are defined later in the text, can not be minimized simultaneously with the same set of parameters. These five parameters obtained from χ^2/N minimizations are the same as those used in BWM [7]. Once the five parameters are fixed from the χ^2/N minimization, the rest two parameters c and k were extracted by matching the experimental binding energy versus neutron number curves from Li to Bi . For all the 2518 nuclei available in Audi-Wapstra 2003 [8] mass table from Li to Bi , excluding ^{12}C and $^{20,21}F$ for which the experimental mass excesses are either zero or very small, the values obtained are $(\chi^2/N)_{BW} = 3.250$, $(\chi^2/N)_{BWM} = 1.434$, $(\sigma)_{BW} = 4.711 \text{ MeV}$ and $(\sigma)_{BWM} = 3.788 \text{ MeV}$.

As BWM mass formula does not have shell effect incorporated, it can not predict the masses of the magic nuclei and nuclei with deformities. Also, as there is no Wigner term, it fails to predict the extra stability of the $N=Z$ nuclei. To predict the masses of all the nuclei more accurately, we introduce the isotonic shift [5] in the mass calculations with BWM. The isotonic shift corrected binding energy, $BE_{cor}(A, Z)$, is defined as,

$$BE_{cor}(A, Z) = BE_{Th}(A, Z) - \Delta_n, \quad (6)$$

where

$$\Delta_n = (1/n) \sum_i [BE_{Th}(A_i, Z_i) - BE_{expt}(A_i, Z_i)], \quad (7)$$

and $n=3$ is the number of points taken before the right or left end of the curve. The $BE_{Th}(A, Z)$ is the theoretical binding energy. To achieve the most accurate treatment of the masses, we employ the recently available masses given in the Audi-Wapstra mass table, 2003 [8]. There still exists a large number of unknown masses for some nuclei, most of which have extreme proton to neutron ratios. For example ^{61}As is the heaviest and ^{40}Mg is the lightest isotones for $N=28$ listed in the Audi-Wapstra table 2003 [8]. To predict the binding energy for $N=28$ isotone heavier than ^{61}As , viz. ^{62}Se , we use the masses of $^{59}Ga(Z=31)$, $^{60}Ge(Z=32)$ and $^{61}As(Z=33)$ and eqns. (6) and (7). Similarly, we compute Δ_n from the masses of $^{40}Mg(Z=12)$, $^{41}Al(Z=13)$, $^{42}Si(Z=14)$ to predict the mass of ^{39}Na which is a $N=28$ isotone lighter than ^{40}Mg . To accomplish this computationally we find that the formula

$$N_s = 0.968051Z + 0.00658803Z^2, \quad (8)$$

provides a reasonable description of the neutron number N_s of a nucleus with atomic number Z on the line of beta-stability. For a particular (Z, N) nucleus, N_s decides which side of the line of beta stability the chosen nucleus lies.

TABLE I. The parameters for the Bethe-Weizsäcker mass formula found by fitting the available atomic mass excesses of Audi-Wapstra 2003 [8] mass table.

a_v MeV	a_s MeV	a_c MeV	a_{sym} MeV	a_p MeV	Minimized quantity
15.777(53)	18.34(17)	0.710(3)	23.21(10)	12(2)	$\chi^2/N=3.34$
15.258(20)	16.26(6)	.689(1)	22.20(5)	10.08(85)	$\sigma^2=15.12$

The one proton and two proton separation energies S_{1p} and S_{2p} defined as the energies required to remove one proton and two protons from a nucleus are given by,

$$S_{1p} = B(A, Z) - B(A - 1, Z - 1) \quad \text{and} \quad S_{2p} = B(A, Z) - B(A - 2, Z - 2) \quad (9)$$

respectively, while the one neutron and two neutron separation energies S_{1n} and S_{2n} defined as the energies required to remove one neutron and two neutrons from a nucleus are given by,

$$S_{1n} = B(A, Z) - B(A - 1, Z) \quad \text{and} \quad S_{2n} = B(A, Z) - B(A - 2, Z) \quad (10)$$

respectively.

The atomic mass excess $\Delta M_{A,Z}$ for a nucleus with mass number A and atomic number Z is given by

$$\Delta M_{A,Z} = Z\Delta m_H + (A - Z)\Delta m_n - a_{el}Z^{2.39} - B(A, Z) \quad (11)$$

where $\Delta m_H = m_p + m_e - u = 7.28898483$ MeV and $\Delta m_n = m_n - u = 8.07131710$ MeV, m_p , m_n and m_e are the masses of proton, neutron and electron respectively, the atomic mass unit u is 1/12 the mass of ^{12}C atom, $\Delta M_{A,Z}$ is the atomic mass excess of an atom of mass number A and atomic number Z and the electronic binding energy constant $a_{el} = 1.433 \times 10^{-5}$ MeV.

In the present work the one neutron and one proton separation energies have been calculated using the newly extended Bethe-Weizsacker (BWM) mass formula given by eqn. (4) with the isotonic shift, called BWMIS. The last stable nucleus from which the removal of a single neutron (and any more) makes the one proton separation energy negative defines a proton drip line nucleus and the last stable nucleus to which addition of a single neutron (and any more) makes the one neutron separation energy negative defines a neutron drip line nucleus. Proton and neutron drip line nuclei, thus obtained, over the entire (N, Z) region define the predicted neutron and proton drip lines.

The two quantities of importance that can be used for a relative comparison between different theoretical models are χ^2/N and the root mean square deviation σ which are defined as

$$\chi^2/N = (1/N) \sum [(\Delta M_{Th} - \Delta M_{Ex})/\Delta M_{Ex}]^2 \quad (12)$$

and

$$\sigma^2 = (1/N) \sum [\Delta M_{Th} - \Delta M_{Ex}]^2 \quad (13)$$

respectively, where ΔM_{Th} is the theoretically calculated atomic mass excess and the summation extends to N data points for which experimental atomic mass excesses are known. For the calculations of χ^2/N and the root mean square deviation σ , experimental masses [8] of 3175 nuclei have been used for the cases of improved liquid drop model (ILDm) [5] and BWM. For the case of Myers-Swiatecki (MS) [9], out of 3175 experimental masses, theoretical masses of 23 nuclei are not available. Therefore, we use only experimental masses of 3152 nuclei for calculating the χ^2/N and σ for MS masses. The values χ^2/N obtained for the MS, BWM and ILDM are 1.398, 8.203 and 20.525 respectively, while σ for those are 0.865 MeV, 4.247 MeV and 3.061 MeV respectively. When isotonic shifts have been incorporated in the BWM and ILDM mass formulae, the χ^2/N reduces to 7.758 and 10.950 respectively while σ becomes 1.645 MeV and 1.529 MeV for BWM and ILDM respectively. In case of BWM the isotonic shifts have been incorporated beyond $A=30$ since the BWM [4] was designed to improve the predictions of low mass region. It is worthwhile to mention here that σ is a measure of absolute error while the χ^2/N is a measure of relative error. In many cases, such as reaction Q value or separation energy and dripline calculations, absolute errors involved in atomic mass excesses are the quantities of concern and σ plays more important role than χ^2/N . On the contrary, χ^2/N signifies the relative, that is, uniform percentage error involved in the mass predictions. In fact, in BWMIS the value of χ^2/N reduces from 7.758 to 0.907 if just 2 nuclei, namely ^{20}F and ^{21}F , for which experimental mass excesses are of the order of 10^{-2}MeV , are excluded from the calculations. This happens as in the computation of the χ^2/N , the experimental mass excesses ΔM_{Ex} appear in the denominator and any small deviation of ΔM_{Th} from ΔM_{Ex} is blown up excessively when divided by a number close to zero. But it is pertinent to note that the exclusion of these two nuclei causes insignificant change in σ from 1.645 MeV to 1.644 MeV. Moreover, exclusion of these two nuclei does not alter any of the parameter values listed in Table-1. However, the final calculations have been performed including all the nuclei.

In the Table-2 below, using the BWM mass formula with isotonic shifts beyond $A=30$, the atomic number Z and the neutron number N of the neutron and proton drip line nuclei have been tabulated along with the corresponding values of their one proton and one neutron separation energies (with errors in the parentheses). Uncertainty of 0.1 MeV in the calculation of binding energies have been used in the low mass region upto $A=30$ where isotonic shifts

have not been incorporated. The new calculations predict ^{31}F and ^8He to be stable as can be seen in the Table-2. The values given in Table-2 could be useful for planning experiments on mass measurements. In order to demonstrate the change of sign of the one proton and one neutron separation energies, the atomic number Z and the neutron number N of nuclei with one neutron less than the proton drip line nuclei and nuclei with one neutron beyond the neutron drip line nuclei have also been listed along with the corresponding values of their one proton and one neutron separation energies.

TABLE II. Proton and neutron separation energies on and just beyond the proton and the neutron drip lines using the newly modified BW mass formula with isotonic shift.

Proton	S_p	S_n	One beyond proton drip	S_p	S_n	Neutron	S_p	S_n	One beyond neutron drip	S_p	S_n
Drip						Drip					
Z,N	MeV	MeV	Z,N	MeV	MeV	Z,N	MeV	MeV	Z,N	MeV	MeV
2, 1	2.10(11)	26.70(13)	2, 0	-8.20(12)	88.79(32)	2, 6	31.10(16)	-.07(14)	2, 7	33.81(16)	-3.18(15)
3, 2	3.36(12)	19.61(12)	3, 1	-3.49(12)	32.15(15)	3, 8	26.96(16)	.58(15)	3, 9	29.24(17)	-2.72(16)
4, 2	1.11(13)	24.88(14)	4, 1	-4.16(12)	35.92(15)	4, 10	28.33(17)	.90(17)	4, 11	30.38(18)	-2.50(17)
5, 3	.74(14)	19.67(14)	5, 2	-3.26(13)	28.90(14)	5, 12	25.47(18)	.99(17)	5, 13	27.26(18)	-2.47(18)
6, 3	.17(14)	23.17(15)	6, 2	-3.33(15)	32.29(16)	6, 14	27.81(19)	1.01(18)	6, 15	29.47(19)	-2.46(18)
7, 5	1.98(16)	16.89(16)	7, 4	-.90(15)	23.11(15)	7, 16	25.08(19)	.97(18)	7, 17	26.58(19)	-2.50(18)
8, 5	1.98(16)	19.58(16)	8, 4	-.71(16)	25.92(16)	8, 18	27.74(19)	.94(19)	8, 19	29.14(19)	-2.52(19)
9, 6	.09(16)	21.03(16)	9, 5	-2.33(16)	22.00(17)	9, 22	28.26(20)	.33(19)	9, 23	28.73(20)	-2.32(19)
10, 6	.64(17)	23.33(17)	10, 5	-1.67(17)	24.29(17)	10, 24	28.16(20)	.31(19)	10, 25	31.27(20)	-1.63(19)
11, 8	.54(17)	20.00(17)	11, 7	-1.49(17)	20.00(17)	11, 28	29.27(20)	.03(19)	11, 29	30.28(20)	-4.13(19)
12, 8	1.37(18)	21.96(18)	12, 7	-.59(17)	21.97(18)	12, 28	28.13(20)	.64(19)	12, 29	30.81(20)	-1.45(19)
13, 10	.71(18)	19.39(18)	13, 9	-1.05(18)	18.83(18)	13, 30	26.84(20)	.83(19)	13, 31	27.79(20)	-1.88(19)
14, 9	.07(18)	20.56(18)	14, 8	-1.66(18)	25.58(18)	14, 32	29.45(20)	.53(19)	14, 33	30.35(20)	-2.14(19)
15, 12	.74(18)	18.98(18)	15, 11	-.82(18)	18.05(18)	15, 32	24.72(20)	1.65(19)	15, 33	25.62(20)	-1.24(19)
16, 11	.46(18)	19.60(18)	16, 10	-1.08(18)	24.32(18)	16, 34	27.39(19)	1.28(19)	16, 35	28.24(20)	-2.71(19)
17, 14	4.91(18)	22.92(18)	17, 13	-.73(19)	17.51(18)	17, 34	21.26(19)	2.02(19)	17, 35	23.70(19)	-.27(19)
18, 13	2.74(19)	20.95(19)	18, 12	-.70(19)	23.41(19)	18, 46	32.66(20)	.10(18)	18, 47	33.35(20)	-2.97(18)
19, 16	.55(19)	18.56(18)	19, 15	-.97(19)	16.87(19)	19, 48	29.14(19)	.01(18)	19, 49	29.73(19)	-2.55(18)
20, 15	.66(19)	17.90(19)	20, 14	-.36(19)	23.60(19)	20, 50	31.10(19)	.57(18)	20, 51	31.51(19)	-4.29(18)
21, 18	.44(19)	18.28(18)	21, 17	-.95(19)	16.39(19)	21, 50	27.84(19)	1.17(18)	21, 51	27.68(19)	-4.44(18)
22, 17	.64(19)	17.38(19)	22, 16	-.35(19)	21.08(19)	22, 50	28.93(19)	1.76(18)	22, 51	29.52(19)	-3.85(18)
23, 20	.04(19)	18.66(18)	23, 19	-1.40(19)	16.46(18)	23, 50	24.91(19)	2.37(18)	23, 51	25.51(19)	-3.25(18)
24, 19	.44(19)	17.33(18)	24, 18	-.43(19)	20.34(19)	24, 50	26.07(18)	2.96(17)	24, 51	26.66(18)	-2.66(18)
25, 22	.85(19)	18.95(18)	25, 21	-1.26(19)	15.42(18)	25, 50	22.16(18)	3.57(17)	25, 51	22.77(18)	-2.06(17)
26, 20	.30(19)	21.06(18)	26, 19	-.34(19)	19.86(19)	26, 64	36.37(18)	.12(17)	26, 65	31.16(18)	-9.01(17)
27, 24	.73(18)	18.79(18)	27, 23	-.90(18)	16.21(18)	27, 64	26.34(18)	.44(17)	27, 65	32.76(18)	-2.59(17)
28, 21	.24(19)	17.93(18)	28, 20	-.91(19)	24.32(18)	28, 64	27.76(18)	.96(17)	28, 65	27.99(18)	-2.36(17)
29, 26	.36(18)	18.76(18)	29, 25	-1.03(18)	16.25(18)	29, 66	25.15(18)	.00(16)	29, 67	25.96(18)	-1.40(16)
30, 24	.14(18)	20.58(18)	30, 23	-.12(18)	19.27(18)	30, 70	34.14(18)	.00(16)	30, 71	28.87(18)	-8.22(16)
31, 29	.55(18)	13.57(18)	31, 28	-.42(18)	18.68(18)	31, 72	31.89(17)	.32(16)	31, 73	26.27(17)	-8.45(16)
32, 27	.08(18)	17.12(18)	32, 26	-.54(18)	20.41(18)	32, 72	26.63(17)	.88(16)	32, 73	33.56(17)	-1.52(16)
33, 32	1.03(18)	15.20(17)	33, 31	-.21(18)	13.57(17)	33, 74	30.49(17)	.77(16)	33, 75	32.11(17)	-.69(16)
34, 30	.42(18)	17.76(17)	34, 29	-.17(18)	15.92(18)	34, 78	27.25(17)	.25(16)	34, 79	27.63(17)	-2.12(16)
35, 34	.88(18)	15.56(17)	35, 33	-.41(18)	13.35(17)	35, 82	25.51(17)	.02(15)	35, 83	25.88(17)	-2.30(15)
36, 32	.09(18)	17.64(17)	36, 31	-.10(18)	15.48(17)	36, 84	27.39(17)	.08(15)	36, 85	27.75(17)	-2.21(15)
37, 36	.75(17)	15.58(17)	37, 35	-.18(17)	13.60(17)	37, 86	24.97(17)	.15(15)	37, 87	25.32(17)	-2.11(15)
38, 34	.03(17)	18.10(17)	38, 33	-.32(18)	15.59(17)	38, 88	26.82(16)	.21(15)	38, 89	27.15(17)	-2.03(15)
39, 38	.77(17)	15.62(17)	39, 37	-.22(17)	14.20(17)	39, 92	25.11(16)	.01(15)	39, 93	25.44(16)	-2.18(15)
40, 36	.10(17)	18.07(17)	40, 35	-.55(17)	15.83(17)	40, 94	26.90(16)	.07(15)	40, 95	27.22(16)	-2.10(15)
41, 40	.89(17)	15.75(16)	41, 39	-.37(17)	14.32(16)	41, 96	24.59(16)	.13(15)	41, 97	24.90(16)	-2.02(14)
42, 39	.45(17)	14.94(16)	42, 38	-.18(17)	18.41(17)	42, 98	26.34(16)	.19(14)	42, 99	26.65(16)	-1.94(14)
43, 42	.66(17)	15.84(16)	43, 41	-.40(17)	14.87(16)	43,102	24.68(16)	.01(14)	43,103	24.98(16)	-2.08(14)
44, 41	.14(17)	15.47(16)	44, 40	-.45(17)	18.62(16)	44,104	26.38(16)	.07(14)	44,105	26.67(16)	-2.00(14)
45, 44	.34(17)	15.77(16)	45, 43	-.67(17)	14.97(16)	45,106	24.17(16)	.12(14)	45,107	24.46(16)	-1.93(14)
46, 44	1.78(16)	17.72(16)	46, 43	-.17(17)	15.54(16)	46,108	25.85(16)	.18(14)	46,109	26.12(16)	-1.85(14)

47, 46	.10(16)	15.75(16)	47, 45	-.87(16)	15.38(16)	47,112	24.22(16)	.02(14)	47,113	24.50(16)	-1.98(14)
48, 46	1.28(16)	17.50(16)	48, 45	-.47(16)	15.93(16)	48,114	25.85(16)	.07(14)	48,115	26.12(16)	-1.91(14)
49, 49	.18(16)	13.39(15)	49, 48	-.05(16)	16.75(16)	49,116	23.73(15)	.12(14)	49,117	23.99(15)	-1.84(14)
50, 48	1.04(16)	18.57(15)	50, 47	-.78(16)	16.43(16)	50,118	25.34(15)	.17(13)	50,119	25.59(15)	-1.77(13)
51, 52	.42(16)	13.77(15)	51, 51	-.12(16)	11.75(15)	51,122	23.76(15)	.03(13)	51,123	24.01(15)	-1.89(13)
52, 52	1.42(16)	15.29(15)	52, 51	-.10(16)	12.24(15)	52,124	25.32(15)	.07(13)	52,125	25.56(15)	-1.82(13)
53, 57	.10(16)	10.63(15)	53, 56	-.16(16)	13.56(15)	53,126	23.28(15)	.13(13)	53,127	23.52(15)	-1.76(13)
54, 54	.02(16)	14.46(15)	54, 53	-.45(16)	12.88(15)	54,128	24.82(15)	.17(13)	54,129	25.06(15)	-1.69(13)
55, 61	.17(15)	10.39(15)	55, 60	-.11(15)	13.25(15)	55,132	23.28(15)	.04(13)	55,133	23.52(15)	-1.80(13)
56, 57	.35(16)	12.08(15)	56, 56	-.34(16)	14.89(15)	56,134	24.79(15)	.08(13)	56,135	25.01(15)	-1.74(13)
57, 63	.25(15)	10.70(14)	57, 62	-.09(15)	13.60(14)	57,136	22.82(15)	.13(13)	57,137	23.05(15)	-1.68(13)
58, 60	.63(15)	15.05(14)	58, 59	-.26(15)	12.09(14)	58,140	24.74(15)	.01(13)	58,141	24.95(15)	-1.78(13)
59, 65	.05(15)	11.08(14)	59, 64	-.24(15)	13.59(14)	59,142	22.80(15)	.05(13)	59,143	23.02(15)	-1.72(13)
60, 62	.53(15)	15.43(14)	60, 61	-.62(15)	13.29(14)	60,144	24.26(15)	.10(13)	60,145	24.47(15)	-1.66(13)
61, 68	.14(15)	13.23(14)	61, 67	-.29(15)	11.13(14)	61,146	22.36(15)	.14(13)	61,147	22.57(15)	-1.60(12)
62, 65	.63(15)	12.92(14)	62, 64	-.58(15)	15.59(14)	62,150	24.20(15)	.03(12)	62,151	24.40(15)	-1.70(12)
63, 71	.02(15)	10.53(14)	63, 70	-.15(15)	13.38(14)	63,152	22.33(15)	.07(12)	63,153	22.53(15)	-1.64(12)
64, 67	.34(15)	13.09(14)	64, 66	-.95(15)	15.66(14)	64,154	23.73(15)	.11(12)	64,155	23.93(15)	-1.59(12)
65, 74	.04(15)	12.90(14)	65, 73	-.40(15)	10.71(14)	65,158	22.28(15)	.01(12)	65,159	22.48(15)	-1.67(12)
66, 71	.46(15)	12.21(14)	66, 70	-.55(15)	15.00(14)	66,160	23.66(15)	.05(12)	66,161	23.85(15)	-1.62(12)
67, 78	.36(14)	12.58(13)	67, 77	-.09(14)	10.87(13)	67,162	21.85(15)	.09(12)	67,163	22.04(15)	-1.56(12)
68, 73	.18(15)	12.48(13)	68, 72	-.93(15)	15.05(13)	68,164	23.21(14)	.13(12)	68,165	23.40(14)	-1.51(12)
69, 80	.11(14)	13.19(13)	69, 79	-.28(14)	10.88(13)	69,168	21.79(14)	.03(12)	69,169	21.98(14)	-1.59(12)
70, 76	.11(14)	14.79(13)	70, 75	-.95(14)	13.09(13)	70,170	23.13(14)	.07(12)	70,171	23.31(14)	-1.54(12)
71, 84	.33(14)	11.18(13)	71, 83	-.07(14)	9.48(13)	71,172	21.37(14)	.11(12)	71,173	21.55(14)	-1.49(12)
72, 79	.15(14)	12.75(13)	72, 78	-.98(14)	15.12(13)	72,176	23.04(14)	.02(12)	72,177	23.21(14)	-1.57(12)
73, 86	.09(14)	11.69(13)	73, 85	-.31(14)	9.60(13)	73,178	21.30(14)	.06(12)	73,179	21.48(14)	-1.52(12)
74, 83	.43(14)	10.32(13)	74, 82	-.02(14)	14.77(13)	74,180	22.60(14)	.10(12)	74,181	22.77(14)	-1.47(12)
75, 90	.20(14)	11.67(13)	75, 89	-.15(14)	9.50(13)	75,184	21.23(14)	.01(12)	75,185	21.40(14)	-1.55(12)
76, 85	.18(14)	11.24(13)	76, 84	-1.09(14)	14.00(13)	76,186	22.51(14)	.04(12)	76,187	22.67(14)	-1.50(12)
77, 94	.21(14)	11.54(12)	77, 93	-.11(14)	9.29(12)	77,188	20.82(14)	.08(12)	77,189	20.99(14)	-1.45(11)
78, 88	.07(14)	12.87(12)	78, 87	-.24(14)	11.31(13)	78,190	22.08(14)	.12(11)	78,191	22.25(14)	-1.41(11)
79, 98	.18(14)	11.44(12)	79, 97	-.23(14)	9.06(12)	79,194	20.74(14)	.04(11)	79,195	20.90(14)	-1.47(11)
80, 92	.03(14)	12.45(12)	80, 91	-.12(14)	10.26(12)	80,196	21.98(14)	.07(11)	80,197	22.14(14)	-1.43(11)
81,102	.25(14)	11.09(12)	81,101	-.11(14)	9.09(12)	81,198	20.34(14)	.11(11)	81,199	20.50(14)	-1.38(11)
82, 96	.17(14)	12.28(12)	82, 95	.00(14)	10.91(12)	82,202	21.88(14)	.03(11)	82,203	22.03(14)	-1.45(11)
83,105	.01(14)	8.81(12)	83,104	-.05(14)	11.48(12)	83,204	20.25(14)	.07(11)	83,205	20.41(14)	-1.41(11)
84,101	.27(14)	9.79(12)	84,100	-.31(14)	12.41(12)	84,206	21.47(14)	.10(11)	84,207	21.62(14)	-1.36(11)
85,110	.06(13)	11.03(12)	85,109	-.17(13)	8.75(12)	85,210	20.16(14)	.03(11)	85,211	20.31(14)	-1.43(11)
86,105	.10(14)	9.56(12)	86,104	-.17(14)	12.41(12)	86,212	21.36(14)	.06(11)	86,213	21.50(14)	-1.38(11)
87,115	.09(13)	8.58(12)	87,114	-.04(13)	10.83(12)	87,214	19.77(14)	.10(11)	87,215	19.92(14)	-1.34(11)
88,109	.21(13)	9.69(12)	88,108	-.06(13)	11.84(12)	88,218	21.24(14)	.02(11)	88,219	21.38(14)	-1.40(11)
89,119	.08(13)	8.47(11)	89,118	-.02(13)	10.57(12)	89,220	19.67(14)	.06(11)	89,221	19.82(14)	-1.36(11)
90,112	.04(13)	11.60(12)	90,111	-.22(13)	9.72(12)	90,222	20.84(14)	.09(11)	90,223	20.98(14)	-1.32(11)
91,123	.10(13)	8.40(11)	91,122	-.04(13)	10.15(11)	91,226	19.57(14)	.02(11)	91,227	19.71(14)	-1.38(11)
92,116	.12(13)	11.67(11)	92,115	-.13(13)	9.71(11)	92,228	20.72(14)	.05(11)	92,229	20.86(14)	-1.34(11)
93,127	.25(13)	6.94(11)	93,126	-.03(13)	9.25(11)	93,230	19.19(14)	.09(11)	93,231	19.33(14)	-1.30(11)
94,120	.18(13)	11.35(11)	94,119	-.06(13)	9.34(11)	94,234	20.60(14)	.02(11)	94,235	20.73(14)	-1.35(11)
95,129	.23(13)	7.17(11)	95,128	-.01(13)	9.02(11)	95,236	19.09(14)	.05(11)	95,237	19.22(14)	-1.31(11)
96,124	.23(13)	10.86(11)	96,123	-.01(13)	9.54(11)	96,238	20.21(14)	.09(11)	96,239	20.34(14)	-1.27(11)
97,132	.02(13)	8.98(11)	97,131	-.21(13)	7.57(11)	97,242	18.98(14)	.02(11)	97,243	19.11(14)	-1.33(11)
98,127	.04(13)	8.11(11)	98,126	-.19(13)	10.40(11)	98,244	20.09(14)	.05(11)	98,245	20.22(14)	-1.29(11)
99,136	.03(13)	9.58(11)	99,135	-.19(13)	8.00(11)	99,246	18.61(14)	.09(11)	99,247	18.73(14)	-1.25(11)
100,131	.06(13)	8.25(11)	100,130	-.16(13)	10.19(11)	100,250	19.96(14)	.02(11)	100,251	20.09(14)	-1.30(11)
101,140	.04(13)	9.25(11)	101,139	-.18(13)	8.32(11)	101,252	18.49(14)	.06(11)	101,253	18.62(14)	-1.26(11)
102,135	.08(13)	8.66(11)	102,134	-.14(13)	10.31(11)	102,254	19.58(14)	.09(11)	102,255	19.71(14)	-1.23(11)
103,131	.45(13)	9.59(11)	103,130	-.41(13)	11.33(11)	103,258	18.38(14)	.03(10)	103,259	18.50(14)	-1.28(10)
104,132	2.57(13)	11.22(11)	104,131	-1.64(13)	9.81(11)	104,260	19.45(14)	.06(10)	104,261	19.58(14)	-1.24(10)
105,134	1.02(13)	11.11(11)	105,133	-3.18(13)	9.72(11)	105,264	18.26(14)	.00(10)	105,265	18.38(14)	-1.29(10)
106,136	2.66(13)	11.01(11)	106,135	-1.60(13)	9.62(11)	106,266	19.32(14)	.03(10)	106,267	19.44(14)	-1.25(10)

107,137	.52(13)	9.53(11)	107,136	-3.34(13)	11.23(11)	107,268	17.90(14)	.06(10)	107,269	18.02(14)	-1.22(10)
108,138	1.85(13)	11.13(11)	108,137	-2.00(13)	9.75(11)	108,272	19.19(14)	.01(10)	108,273	19.30(14)	-1.26(10)
109,155	.11(13)	7.63(10)	109,154	-.44(13)	8.65(11)	109,274	17.78(14)	.04(10)	109,275	17.89(14)	-1.23(10)
110,141	.97(13)	9.57(11)	110,140	-2.18(13)	11.24(11)	110,276	18.82(14)	.07(10)	110,277	18.94(14)	-1.19(10)
111,160	.21(13)	8.37(10)	111,159	-.13(13)	7.12(10)	111,280	17.65(14)	.02(10)	111,281	17.77(14)	-1.24(10)
112,144	.89(13)	11.04(10)	112,143	-2.36(13)	9.69(10)	112,282	18.69(14)	.04(10)	112,283	18.80(14)	-1.20(10)
113,165	.41(13)	6.70(10)	113,164	-.13(13)	7.90(10)	113,284	17.30(14)	.07(10)	113,285	17.41(14)	-1.17(10)
114,148	.95(13)	10.86(10)	114,147	-2.35(13)	9.52(10)	114,288	18.55(14)	.02(10)	114,289	18.66(14)	-1.21(10)
115,170	.18(13)	8.41(10)	115,169	-.01(13)	6.65(10)	115,290	17.18(14)	.05(10)	115,291	17.29(14)	-1.18(10)
116,150	.10(13)	10.97(10)	116,149	-2.73(13)	9.64(10)	116,294	18.41(14)	.00(10)	116,295	18.51(14)	-1.22(10)
117,174	.03(13)	8.45(10)	117,173	-.14(13)	6.95(10)	117,296	17.05(14)	.03(10)	117,297	17.16(14)	-1.19(10)
118,154	.23(13)	10.80(10)	118,153	-.27(13)	9.48(10)	118,298	18.05(14)	.06(10)	118,299	18.16(14)	-1.16(10)

In Fig. 1, using the BWM mass formula, the atomic number Z has been plotted against the neutron number N for the proton and neutron dripline nuclei. The lines joining the proton dripline nuclei and the neutron dripline nuclei have been shown as the proton dripline and the neutron dripline respectively in the figure. The nuclei stable against decay via $\beta^\pm$, α or heavy particle emissions or electron capture or spontaneous fission [10] have been shown with small solid squares. There is no nucleus beyond the atomic number $Z=83$ which is stable against the decays via $\beta^\pm$, α , heavy particle emissions and electron capture and spontaneous fission. The hollow circles depict the proton and the neutron dripline nuclei using the BWM mass formula with isotonic mass shift corrections (BWMIS) beyond $A=30$ while the solid triangles represent dripline nuclei using MS masses. In Fig. 2, the driplines have been calculated using the MS masses with the isotonic shifts (MSIS). The solid triangles represent dripline nuclei using MS masses while the hollow circles represent dripline nuclei using BWM mass formula with the isotonic shifts beyond $A=30$. Fig. 2 shows that both the driplines with MS and MSIS are almost the same except at few scattered points. Some of the MS masses near both the driplines are not available. Specifically, MS-predictions for some even Z proton dripline nuclei are not available around $N=90$ and $Z=75$. As there is no simple formula by which the missing masses of MS can be calculated easily, they are missing in the figures. Interestingly, the driplines predicted by BWMIS are almost similar to those obtained by MSIS except at large N or Z values where we find that BWMIS gives better mass predictions, that is, closer to available experimental masses than MS.

In summary, the atomic mass excesses have been calculated using the modified Bethe-Weizsäcker mass formula with isotonic mass shifts incorporated and compared with the predictions of the mass formula of Myers-Swiatecki. It is found that the agreements between the experimental masses and the calculated ones are greatly improved by introducing the isotonic mass shifts. The $\chi^2/N=0.907$ predicted by BWMIS is comparable to the $\chi^2/N=1.398$ predicted by MS. Neutron and proton separation energies have been calculated using the modified Bethe-Weizsäcker mass formula with isotonic mass shifts. The last bound isotopes of neutron and proton rich nuclei have been identified and the neutron and proton driplines have been provided. The significant changes by incorporating isotonic mass shifts have been observed for the proton dripline near heavier mass region. It is pertinent to note that BWM is a simple mass formula compared to the mass formula of Myers and Swiatecki. Nevertheless, with isotonic shift incorporated the modified Bethe-Weizsäcker mass formula not only predicts almost the same driplines as the MS formula but provides better mass predictions for some nuclei with higher N , Z values as well. These observations are important as they suggest that the simple BWMIS prescription would be useful for theoretical computations of masses which are used in various computational codes.

-
- [1] I. Tanihata, J. Phys. G 22, 157 (1996).
 - [2] A. Ozawa, T. Kobayashi, T. Suzuki, K. Yoshida and I. Tanihata, Phys. Rev. Lett. 84, 5493 (2000).
 - [3] K. Heyde, Basic Ideas and Concepts in Nuclear Physics, IOP, Bristol, 1999.
 - [4] C. Samanta and S. Adhikari, Phys. Rev. C 65, 037301 (2002); S. Adhikari and C. Samanta, IJMPE 13, 987 (2004).
 - [5] S.R. Souza et.al., Phys. Rev. C 67, 051602 (R) (2003).
 - [6] D.N. Basu, IJMPE 13, 747 (2004).
 - [7] C. Samanta and S. Adhikari, Phys. Rev. C 69, 049804 (2004); C. Samanta and S. Adhikari, Nucl. Phys. A 738, 491 (2004).
 - [8] G. Audi, A.H. Wapstra and C. Thibault, Nucl. Phys. A 729, 337 (2003).
 - [9] W.D. Myers and W.J. Swiatecki, Lawrence Berkeley Laboratory preprint LBL-36803, December (1994); Nucl. Phys. A 601, 141 (1996).
 - [10] M.S. Antony, Nuclide Chart 2002, Strasbourg, France.




FIG. 1. The atomic number Z has been plotted against the neutron number N as solid squares for the stable nuclei and the driplines have been calculated using the BWM mass formula. The solid triangles represent dripline nuclei using MS masses while the hollow circles represent dripline nuclei using BWM mass formula with the isotonic shifts beyond $A=30$.




FIG. 2. The driplines have been calculated using the MS masses with the isotonic shifts. The solid triangles represent dripline nuclei using MS masses while the hollow circles represent dripline nuclei using BWM mass formula with the isotonic shifts beyond $A=30$.